

# KARAOKE UK LTD

**MOVABLE  
SILENCE BOOTH**

Movable karaoke rooms

# BRAND STRENGTH

---

With its excellent quality, affordable price, and strong brand strength, Soundproofing Room not only sells well in China, but also ranks among the top in the industry, and is favored by overseas customers. Its products are exported to the United Kingdom, the United States, France, Germany, Australia, Malaysia, Russia, the Philippines, Canada, New Zealand, Switzerland, Vietnam, Singapore, Israel, Romania, Netherlands, etc. Countries and regions.



**SGS** 测试报告

编号: XMN190100254CCM\_CN  
日期: 2019年01月31日  
页码: 共4页, 共4页

客户名称: 广州伊尔康电子有限公司  
客户地址: 中国广东省广州市番禺区南村镇新涌村新涌大道南1号

样品名称: 聚丙烯纤维毡  
材料: 聚丙烯纤维  
规格: 3420\*1220  
生产商: 伊尔康纤维毡有限公司

测试标准: ISO 384:2003 声学-民用建筑声学测量  
ISO 11654:1997 声学-建筑声学产品-吸声系数测试

测试条件: 1. 吸声纤维毡板(3张厚片)  
2. 厚度约12mm, 面积约为2.2m²  
3. 4000-24000Hz 共 10.08个样品安装在隔声室中, 用直径40mm的吸声材料包裹

测试设备: 1. RTA80 system  
2. 混响室: 200m³  
3. 温度: 15.3°C, 相对湿度: 40.9%

测试结果: 吸声系数 α<sub>w</sub> = 0.73  
吸声系数 α<sub>s</sub> = 0.8

测试员: 曹文明  
复核员: 曹文明

**SGS** 测试报告

编号: XMN190100254CCM\_CN  
日期: 2019年01月31日  
页码: 共2页, 共4页

客户名称: 广州伊尔康电子有限公司  
客户地址: 中国广东省广州市番禺区南村镇新涌村新涌大道南1号

样品名称: 聚丙烯纤维毡  
材料: 聚丙烯纤维  
规格: 3420\*1220  
生产商: 伊尔康纤维毡有限公司

测试标准: ISO 384:2003 声学-民用建筑声学测量  
ISO 11654:1997 声学-建筑声学产品-吸声系数测试

测试条件: 1. 吸声纤维毡板(3张厚片)  
2. 厚度约12mm, 面积约为2.2m²  
3. 4000-24000Hz 共 10.08个样品安装在隔声室中, 用直径40mm的吸声材料包裹

测试设备: 1. RTA80 system  
2. 混响室: 200m³  
3. 温度: 15.3°C, 相对湿度: 40.9%

测试结果: 吸声系数 α<sub>w</sub> = 0.73  
吸声系数 α<sub>s</sub> = 0.8

测试员: 曹文明  
复核员: 曹文明

**SGS** 测试报告

编号: XMN190100254CCM\_CN  
日期: 2019年01月31日  
页码: 共3页, 共4页

客户名称: 广州伊尔康电子有限公司  
客户地址: 中国广东省广州市番禺区南村镇新涌村新涌大道南1号

样品名称: 聚丙烯纤维毡  
材料: 聚丙烯纤维  
规格: 3420\*1220  
生产商: 伊尔康纤维毡有限公司

测试标准: ISO 384:2003 声学-民用建筑声学测量  
ISO 11654:1997 声学-建筑声学产品-吸声系数测试

测试条件: 1. 吸声纤维毡板(3张厚片)  
2. 厚度约12mm, 面积约为2.2m²  
3. 4000-24000Hz 共 10.08个样品安装在隔声室中, 用直径40mm的吸声材料包裹

测试设备: 1. RTA80 system  
2. 混响室: 200m³  
3. 温度: 15.3°C, 相对湿度: 40.9%

测试结果: 吸声系数 α<sub>w</sub> = 0.73  
吸声系数 α<sub>s</sub> = 0.8

测试员: 曹文明  
复核员: 曹文明

**SGS** 测试报告

编号: XMN190100254CCM\_CN  
日期: 2019年01月31日  
页码: 共4页, 共4页

客户名称: 广州伊尔康电子有限公司  
客户地址: 中国广东省广州市番禺区南村镇新涌村新涌大道南1号

样品名称: 聚丙烯纤维毡  
材料: 聚丙烯纤维  
规格: 3420\*1220  
生产商: 伊尔康纤维毡有限公司

测试标准: ISO 384:2003 声学-民用建筑声学测量  
ISO 11654:1997 声学-建筑声学产品-吸声系数测试

测试条件: 1. 吸声纤维毡板(3张厚片)  
2. 厚度约12mm, 面积约为2.2m²  
3. 4000-24000Hz 共 10.08个样品安装在隔声室中, 用直径40mm的吸声材料包裹

测试设备: 1. RTA80 system  
2. 混响室: 200m³  
3. 温度: 15.3°C, 相对湿度: 40.9%

测试结果: 吸声系数 α<sub>w</sub> = 0.73  
吸声系数 α<sub>s</sub> = 0.8

测试员: 曹文明  
复核员: 曹文明

**UTS** 检测报告

编号: SH18020025C01  
检测日期: 2018/02/07

客户名称: 广州伊尔康电子有限公司  
客户地址: 中国广东省广州市番禺区南村镇新涌村新涌大道南1号

样品名称: 聚丙烯纤维毡  
规格: 3420\*1220\*MM  
检测日期: 2018/02/06  
检测周期: 2018/02/05-2018/02/07

检测要求: 按照 GB 18580-2009 室内装饰装修材料 人造板及其制品中甲醛释放量的要求, 测定委托样品中的甲醛释放量。

检测方法: 按照 GB/T 17657-1999 人造板及其制品甲醛释放量试验方法 中 4.1.2 16-11L 干燥器法测定复合板、贴面板和胶合板, 贴面板的甲醛释放量, 采用穿孔可穿孔穿孔法比色法进行测定。

检测结果: 参见下一页

结论: 委托样品的甲醛释放量符合 GB 18580-2009 可直接用于室内胶合板甲醛释放量限值, 贴面板的甲醛释放量符合 GB 18580-2009 可直接用于室内胶合板甲醛释放量限值的要求。

检测部位描述: 聚丙烯纤维毡板

样品照片: SH18020025C01

检测员: 曹文明  
审核: 曹文明  
编制: 曹文明

**UTS** 检测报告

编号: SH18020025C01  
检测日期: 2018/02/07

客户名称: 广州伊尔康电子有限公司  
客户地址: 中国广东省广州市番禺区南村镇新涌村新涌大道南1号

样品名称: 聚丙烯纤维毡  
规格: 3420\*1220\*MM  
检测日期: 2018/02/06  
检测周期: 2018/02/05-2018/02/07

检测要求: 按照 GB 18580-2009 室内装饰装修材料 人造板及其制品中甲醛释放量的要求, 测定委托样品中的甲醛释放量。

检测方法: 按照 GB/T 17657-1999 人造板及其制品甲醛释放量试验方法 中 4.1.2 16-11L 干燥器法测定复合板、贴面板和胶合板, 贴面板的甲醛释放量, 采用穿孔可穿孔穿孔法比色法进行测定。

检测结果: 参见下一页

结论: 委托样品的甲醛释放量符合 GB 18580-2009 可直接用于室内胶合板甲醛释放量限值, 贴面板的甲醛释放量符合 GB 18580-2009 可直接用于室内胶合板甲醛释放量限值的要求。

检测部位描述: 聚丙烯纤维毡板

样品照片: SH18020025C01

检测员: 曹文明  
审核: 曹文明  
编制: 曹文明

报告编号 (Report ID): 1017861-841  
http://www.17861.com  
地址: 北京朝阳区东三环北路18号

报告编号 (Report ID): 1017861-841  
http://www.17861.com  
地址: 北京朝阳区东三环北路18号

**MA** **AL** **ILAC-MRA** **CNAS**

2016020102Z 0190 国家认证认可监督管理委员会  
CNAS L0219

**检验报告 TEST REPORT**

样品名称: 隔音棉  
委托单位: 广州伊尔康电子有限公司

报告编号 (Report ID): 1017861-841

样品名称: 隔音棉  
委托单位: 广州伊尔康电子有限公司

北京市质量技术监督局检测中心  
Beijing Center for Inspection and Testing

检测专用章

检测员: 曹文明  
审核: 曹文明  
编制: 曹文明

第 2 页 共 3 页

**TEST REPORT**

LAB NO.: (6421) 18-1207  
DATE: July 30, 2021  
PAGE: 1 OF 28

客户名称: 广州伊尔康电子有限公司  
客户地址: 中国广东省广州市番禺区南村镇新涌村新涌大道南1号

样品名称: 聚丙烯纤维毡  
规格: 3420\*1220\*MM  
检测日期: 2018/02/06  
检测周期: 2018/02/05-2018/02/07

检测要求: 按照 GB 18580-2009 室内装饰装修材料 人造板及其制品中甲醛释放量的要求, 测定委托样品中的甲醛释放量。

检测方法: 按照 GB/T 17657-1999 人造板及其制品甲醛释放量试验方法 中 4.1.2 16-11L 干燥器法测定复合板、贴面板和胶合板, 贴面板的甲醛释放量, 采用穿孔可穿孔穿孔法比色法进行测定。

检测结果: 参见下一页

结论: 委托样品的甲醛释放量符合 GB 18580-2009 可直接用于室内胶合板甲醛释放量限值, 贴面板的甲醛释放量符合 GB 18580-2009 可直接用于室内胶合板甲醛释放量限值的要求。

检测部位描述: 聚丙烯纤维毡板

样品照片: SH18020025C01

检测员: 曹文明  
审核: 曹文明  
编制: 曹文明

第 3 页 共 3 页

**MATERIAL TEST REPORT**

检测专用章

检测员: 曹文明  
审核: 曹文明  
编制: 曹文明

第 2 页 共 3 页



# CONTEST

Company profile

02

Product description

06

Education series

22

Business series

28

Vocal series

39

Multimedia series

45

Product related certificates

53



## Founded in 2003

Qianhui Company is currently the largest manufacturer of singing machines in China, and its mobile soundproof room manufacturing technology is in the forefront of the country. Our company has established strategic partnerships with well-known brands such as Leishi, Yougu, Orange Intelligent, and Migu. Always committed to bringing customers higher commercial value equipment.

We have multiple intelligent and efficient mechanical equipment, more than 10 professional production lines, 20 professional R&D engineers, 10 project design engineers, and more than 500 experienced production employees.

Our company has many years of experience in OEM and ODM, and is the preferred partner for customized projects.



# PRODUCT INTRODUCTION

— ONE CABIN FOR MULTIPLE PURPOSES —

# PRODUCT INTRODUCTION

---

## *Multi-purpose*

Our mobile soundproof rooms are suitable for a variety of purposes and can meet the needs of different customers.

## *integrity management*

Each soundproof room is composed of aviation aluminum, soundproof glass, polyester fiber sound-absorbing board and bamboo fiber board.

## *ingenious creation*

Designed and manufactured using professional mechanics solidworks engineering software, easy to install and reliable in structure

---






# Main material


High-strength aluminum profile




Sound insulation glass



Polyester fiber sound-absorbing board



Medium density fiberboard



# TIPS



SOUNDPROOF



VENTILATED



LIGHTING




100-240V POWER



#### SOUNDPROOF&SOUND INSULATION

The soundproof room wall is composed of sound-absorbing cotton + bamboo fiberboard (hollow structure) and 10mm-thick soundproof tempered glass. The sound insulation and noise reduction index meets the design expectations.



#### VENTILATED

Each soundproof room is designed with a labyrinth-type low-noise fresh air system, which can update the indoor air in 3-5 minutes. Large-size soundproof rooms are also equipped with air-conditioning.



#### LIGHTING

The booth body is equipped with 6000K three-color temperature 220V LED ceiling lights, which can basically meet the lighting needs in the booth.



#### 100-240V POWER

Every Booth is equipped with 100-240V/50-60Hz and 12V-USB power supply system, which can easily meet the use of mainstream electrical appliances in life.



# DETAILS

---

## Air filter

Each booth is equipped with a double-effect composite filter, which is made of nano multifunctional primary filter layer+HEPA+composite carbon-attached layer, effectively filtering PM2.5, formaldehyde, toluene, TVOC and other pollutants.

## Acoustic interior





The interiors are composed of polyester fiberboard with sound absorption, environmental protection, flame retardancy, decoration and easy processing. The thickness of the conventional sound-absorbing board is 9mm, and the thickness can be adjusted according to the needs of noise reduction.

## Sound insulation glass

The glass of each soundproof room is assembled from 10mm-thick single-layer tempered glass certified by 3c. In order to increase the safety, engineers put explosion-proof film on each glass. (glass type can be customized according to demand)

## Steel universal wheel

In order to facilitate the movement, each soundproof room is equipped with steel universal wheels, which can steer freely without pressure. At the same time, a steel foot cup is arranged next to each wheel to prevent the soundproof room from moving when it is stationary. (Except for the smallest one)



# DETAILS

---

## Furniture selection

In order to save your time, Qianhui's designers have preset furnishings for different usage scenarios according to different specifications of soundproof rooms for your reference.

## Safety power strip




Each soundproof room is equipped with a dual-control switch, a 16A five-hole socket with USB port and a single-port network cable socket. (Overseas customers can change the socket to the international type 86 five-hole USB 13A British socket two or three plug with switch panel)

## Anti-wear exterior

The sound-proof board finishes of the sound-proof room are environmentally friendly, wear-resistant, anti-pollution, fire-proof and moisture-proof. The color can be changed according to customer needs.

## Glass decoration

Our booth pay attention to quality, and strives for perfection in every detail. The designer has beautified the edges of each piece of glass that has passed the 3C certification, and the overall image of the product has been significantly improved.



# DIMENSIONS



## QIANHUI-S

### EXTERIOR

1000w x 900d x 2348.5h

### INTERIOR

870w x 866d x 2128h

### SPACE

1.60 m<sup>3</sup>

### FLOOR AREA

0.9 m<sup>2</sup>

### WORK SURFACE

750w x 280d

from the floor 1050mm

### GROSS WEIGHT

300 kgs/350 kgs

### NET WEIGHT

255 kgs

### PACKAGED

wooden frame

2300w x 850d x 1200h


wooden box

2250w x 800d x 1060h

UNIT:mm

EXTERIOR Dimensions:

INTERIOR Dimensions :





# DIMENSIONS



## QAINHUI-2S

**EXTERIOR**  
1200w x 1000d x 2348.5h

**INTERIOR**  
1070w x 956d x 2128h

**SPACE**  
2.18m<sup>3</sup>

**FLOOR AREA**  
1.20 m<sup>2</sup>

**PACKAGED**  
2300w x 1400d x 1200h


**GROSS WEIGHT**  
350 kgs

**NET WEIGHT**  
300 kgs

UNIT:mm

EXTERIOR Dimensions:

INTERIOR Dimensions :



# DIMENSIONS



## QIANHUI-M

**EXTERIOR**  
1500w x 1250d x 2348.5h

**INTERIOR**  
1370w x 1206d x 2128h

**SPACE**  
3.52 m<sup>3</sup>

**FLOOR AREA**  
1.86 m<sup>2</sup>

**GROSS WEIGHT**  
380 kgs/400 kgs


**NET WEIGHT**  
360 kgs

**PACKAGED**  
wooden frame  
2300w x 850d x 1450h  
wooden box  
2300w x 800d x 1500h

UNIT:mm

EXTERIOR Dimensions:

INTERIOR Dimensions :



# DIMENSIONS



## QIANHUI-2M

**EXTERIOR**  
1500w x 1800d x 2348.5h

**INTERIOR**  
1372w x 1756d x 2128h

**SPACE**  
5.12 m<sup>3</sup>

**FLOOR AREA**  
2.70 m<sup>2</sup>

**GROSS WEIGHT**  
530 kgs


**NET WEIGHT**  
450 kgs

**PACKAGED**  
wooden frame  
2200w x 970d 1985h

UNIT:mm

EXTERIOR Dimensions:

INTERIOR Dimensions :





# DIMENSIONS



## QIANHUI-SL

### EXTERIOR

1800w x 1500d x 2348.5h

### INTERIOR

1670w x 1456d x 2128h

### SPACE

5.17 m<sup>3</sup>

### FLOOR AREA

2.70 m<sup>2</sup>

### GROSS WEIGHT

550 kgs

### NET WEIGHT

490 kgs


### PACKAGED

wooden frame  
2300w x 950d x 1670h

UNIT:mm

EXTERIOR Dimensions:

INTERIOR Dimensions :



# DIMENSIONS



## QIANHUI-L

**EXTERIOR**  
2200w x 1500d x 2348.5h

**INTERIOR**  
2070w x 1456d x 2128h

**SPACE**  
6.41 m<sup>3</sup>

**FLOOR AREA**  
3.3 m<sup>2</sup>

**GROSS WEIGHT**  
600 kgs/675 kgs


**NET WEIGHT**  
520 kgs

**PACKAGED**  
wooden frame  
2300w x 900d x 1700h  
wooden box  
2300w x 880d x 1600h

UNIT:mm

EXTERIOR Dimensions:

INTERIOR Dimensions :



# DIMENSIONS



## QAINHUI-2L

**EXTERIOR**  
2200w x 2100d x 2348.5h

**GROSS WEIGHT**  
650 kgs/815 kgs

**INTERIOR**  
2070w x 2056d x 2128h

**NET WEIGHT**  
580 kgs

**SPACE**  
9.06 m<sup>3</sup>

**PACKAGED**  
wooden frame  
2300w x 1100d x 1450h  
wooden box  
2300w x 1250d x 1400h


**FLOOR AREA**  
4.62 m<sup>2</sup>

UNIT:mm

EXTERIOR Dimensions:



INTERIOR Dimensions :





# DIMENSIONS



## QAINHUI-3L

### EXTERIOR

3000w x 2100d x 2348.5h

### GROSS WEIGHT

710 kgs/880 kgs

### INTERIOR

2872w x 2013d x 2128h

### NET WEIGHT

680 kgs

### SPACE

15.65 m<sup>3</sup>

### FLOOR AREA

6.30 m<sup>2</sup>

### PACKAGED

wooden frame

2320w x 1200d x 1700h

2900w x 500d x 340h (column)

wooden box

2230w x 1230d x 1220h


2950w x 270d x 385h (column)

UNIT:mm


EXTERIOR Dimensions:



INTERIOR Dimensions :



# DIMENSIONS



## QAINHUI-4L

**EXTERIOR**  
4000w x 2800d x 2370h

**INTERIOR**  
3870w x 2756d x 2128h

**SPACE**  
22.70 m<sup>3</sup>

**FLOOR AREA**  
11.20 m<sup>2</sup>

**PACKAGED**  
2350w x 1500d x 1700h


**GROSS WEIGHT**  
760 kgs

**NET WEIGHT**  
730 kgs

UNIT:mm

EXTERIOR Dimensions:

INTERIOR Dimensions :



# MOBILE SOUNDPROOF ROOM-EDUCATION SERIES

Reading · Teaching · Coaching · Meeting · Piano Room









# EDUCATION SERIES



Model	QH-S
Type	Reading Booth
Properties	<p>*600w x 300d x 15h wall hanging table*1 Adjustable high chair*1</p> <p><i>*Reminder: The furniture is optional, which needs to be purchased by yourself</i></p>
Details	<p>EXTERIOR: 1000w x 900d x 2348.5h      INTERIOR: 870w x 866d x 2128h</p> <p>PACKAGED (wooden frame) : 2300w x 850d x 1060h (wooden box): 2250w x 800d x 1060h</p>
Booth Color	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626



W638



G626



G638



K626



K638



LB626




LB638



R626-2



R638-2



R626



R638



O626



O638

# EDUCATION SERIES



<b>Model</b>	QH-M
<b>Type</b>	Learning Room、 Learning Room (two person)
<b>Properties</b>	<p>*1370w x 400d x 15h wall hanging table*1                      Nordic style office chair*1                      *1225w x 450d x 15h inclined table*1                      Nordic style cloth stool*2</p> <p><i>*Reminder: the furniture is optional, which needs to be purchased by yourself</i></p>
<b>Details</b>	<p>EXTERIOR: 1500w x 1250d x 2348.5h                      INTERIOR: 1370w x 1206d x 2128h                      PACKAGED (wooden frame) : 2300w x 850d x 1450h                      (wooden box) : 2300w x 800d x 1500h</p>
<b>Booth Color</b>	W626、 W638、 G626、 K638、 K626、 LB626、 LB638、 R626-2、 R638-2、 R626、 R638、 O626、 O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626



W638



G626



G638



K626



K638



LB626




LB638



R626-2



R638-2



R626



R638



O626



O638



# EDUCATION SERIES



<b>Model</b>	QH-L
<b>Type</b>	Meeting Booth (four-six person)
<b>Properties</b>	<p>*600w x 1200d x 750h table*1            1380w x 600d x 750h fabric sofa*2</p> <p><i>*Reminder: The furniture is optional, which needs to be purchased by yourself</i></p>
<b>Details</b>	<p>EXTERIOR: 2200w x 1500d x 2348.5h            INTERIOR: 2070w x 1456d x 2128h            PACKAGED (wooden frame) : 2300w x 900d x 1700h            (wooden box) : 2300w x 880d x 1600h</p>
<b>Booth Color</b>	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638




G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

# EDUCATION SERIES



<b>Model</b>	QH-2L
<b>Type</b>	Meeting Booth (six-eight person)
<b>Properties</b>	<p>*1600w x 600d x 750h table*1            1900w x 560d x 700h fabric sofa*2</p> <p><i>*Reminder: The furniture is optional, which needs to be purchased by yourself</i></p>
<b>Details</b>	<p>EXTERIOR: 2200w x 2100d x 2348.5h            INTERIOR: 2070w x 2056d x 2128h            PACKAGED (wooden frame) : 2300w x 1100d x 1450h            (wooden box) : 2300w x 1250d x 1400h</p>
<b>Booth Color</b>	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

# MOBILE SOUNDPROOF ROOM-BUSINESS SERIES

Working · Meeting · Phone · Chat · Reception







# BUSINESS SERIES



<b>Model</b>	QH-S
<b>Type</b>	Office Booth、Phone Booth
<b>Properties</b>	<p>*750w x 320d x 15h wall hanging table*1 Steel fixed foot cup*1</p> <p>*600w x 200d x 15h wall hanging table*1 Chair*1</p> <p><i>*Reminder: the furniture is optional, which needs to be purchased by yourself</i></p>
<b>Details</b>	<p>EXTERIOR: 1000w x 900d x 2348.5h    INTERIOR: 870w x 866d x 2128h</p> <p>PACKAGED (wooden frame) : 2300w x 850d x 1060h (wooden box) : 2250w x 800d x 1060h</p>
<b>Booth Color</b>	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638



# BUSINESS SERIES



Model	QH-M
Type	Office Booth (one person), Meeting Booth (two person)
Properties	<p>*1000w x 320d x 15h wall hanging table*1          Nordic style office chair*1          *1370w x 350d x 15h bar-table*1          Chair*2          *Reminder: the furniture is optional, which needs to be purchased by yourself</p>
Details	<p>EXTERIOR: 1500w x 1250d x 2348.5h          INTERIOR: 1370w x 1206d x 2128h          PACKAGED (wooden frame) : 2300w x 850d x 1450h          (wooden box) : 2300w x 800d x 1500h</p>
Booth Color	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

# BUSINESS SERIES



Model	QH-M
Type	Meeting Booth (two person)
Properties	*750w x 300d x 750h foldable*1 Nordic style cloth bench*2 <b>*Reminder: The furniture is optional, which needs to be purchased by yourself</b>
Details	EXTERIOR: 1500w x 1250d x 2348.5h INTERIOR: 1370w x 1206d x 2128h PACKAGED (wooden frame) : 2300w x 850d x 1450h (wooden box) : 2300w x 800d x 1500h
Booth Color	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638



# BUSINESS SERIES



Model	QH-2M
Type	Office Booth (two person), Meet Booth (three person)
Properties	<p>*1350+1650w x 350d x 30h table*1          Nordic style fabric retractable chair*2</p> <p>*700w x 565d x 1000h table*1          Nordic style leather retractable chair*3</p> <p><i>*Reminder: the furniture is optional, which needs to be purchased by yourself</i></p>
Details	<p>EXTERIOR: 1500w x 1800d x 2348.5h          INTERIOR: 1372w x 1756d x 2128h          PACKAGED (wooden frame) : 2200w x 970d x 1985h</p>
Booth Color	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626



W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

# BUSINESS SERIES



<b>Model</b>	QH-SL
<b>Type</b>	Office Booth (one person)、Office Booth
<b>Properties</b>	<p>*1375w x 450d x 750h table (with cabinet) *1          Nordic style office chair*1          *☑️*250 x 200h table*1          Fabric pouf*3</p> <p><i>*Reminder: the furniture is optional, which needs to be purchased by yourself</i></p>
<b>Details</b>	<p>EXTERIOR: 1800w x 1500d x 2348.5h          INTERIOR: 1670w x 1456d x 2128h          PACKAGED (wooden frame) : 2300w x 950d x 1670h</p>
<b>Booth Color</b>	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626



W638



G626



G638



K626



K638



LB626




LB638



R626-2



R638-2



R626



R638



O626



O638

# BUSINESS SERIES



Model	QH-L
Type	Meeting Booth (four-six person)、 Meeting Booth (two-three person)
Properties	<p>*600w x 1200d x 750h bar-table*1            1380w x 600d x 650h fabric sofa*2            *450w x 2070d x 1010h table*1            Chair*2</p> <p><i>*Reminder: the furniture is optional, which needs to be purchased by yourself</i></p>
Details	<p>EXTERIOR: 2200w x 1500d x 2348.5h            INTERIOR: 2070w x 1456d x 2128h            PACKAGED (wooden frame) : 2300w x 900d x 1700h            (wooden box) : 2300w x 880d x 1600h</p>
Booth Color	W626、 W638、 G626、 K638、 K626、 LB626、 LB638、 R626-2、 R638-2、 R626、 R638、 O626、 O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626



W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

# BUSINESS SERIES



<b>Model</b>	QH-2L
<b>Type</b>	Meeting Booth (six person)、 Meeting Booth (six-eight person)
<b>Properties</b>	<p>*450w x 350d x 750h table*2 Assemble sofa*1</p> <p>*1600w x 600d x 750h table*1 1975w x 600d x 800h fabric sofa*2</p> <p><b>*Reminder: the furniture is optional, which needs to be purchased by yourself</b></p>
<b>Details</b>	<p>EXTERIOR: 2200w x 2100d x 2348.5h INTERIOR: 2070w x 2056d x 2128h PACKAGED (wooden frame) : 2300w x 1100d x 1450h (wooden box) : 2300w x 1250d x 1400h</p>
<b>Booth Color</b>	W626、 W638、 G626、 K638、 K626、 LB626、 LB638、 R626-2、 R638-2、 R626、 R638、 O626、 O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638




G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638



# BUSINESS SERIES



Model	QH-3L
Type	Meeting Booth (five person)
Properties	<p>*1480w x 1750d x 900h table*1 Adjustable high chair*5</p> <p><b>*Reminder: The furniture is optional, which needs to be purchased by yourself</b></p>
Details	<p>EXTERIOR: 3000w x 2100d x 2348.5h INTERIOR: 2872w x 2013d x 2128h PACKAGED (wooden frame) : 2320w x 1200d x 1700h 2900w x 500d x 340h (column) (wooden box) : 2230w x 1230d x 1220h 2950w x 270d x 385h (column)</p>
Booth Color	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626



W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

# MOBILE SOUNDPROOF ROOM-VOCAL SERIES

Piano · Drum kit · Violin · Saxophone · Bel Canto







# VOCAL SERIES



<b>Model</b>	QH-S
<b>Type</b>	Bel Canto Practice Booth
<b>Properties</b>	<p>*Enhanced sound insulation 750w x 320d x 150h wall hanging table*2</p> <p><b>*Reminder: The furniture is optional, which needs to be purchased by yourself</b></p>
<b>Details</b>	<p>EXTERIOR: 1000w x 900d x 2348.5h      INTERIOR: 870w x 866d x 2128h</p> <p>PACKAGED (wooden frame) : 2300w x 850d x 1060h (wooden box) : 2250w x 800d x 1060h</p>
<b>Booth Color</b>	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638



# VOCAL SERIES



<b>Model</b>	QH-M
<b>Type</b>	Pipe Booth
<b>Properties</b>	<p>*Enhanced sound insulation            1000w x 320d x 15h wall hanging table*1            *Reminder: The furniture is optional, which needs to be purchased by yourself</p>
<b>Details</b>	<p>EXTERIOR: 1500w x 1250d x 2348.5h            INTERIOR: 1370w x 1206d x 2128h            PACKAGED (wooden frame) : 2300w x 850d x 1450h            (wooden box) : 2300w x 800d x 1500h</p>
<b>Booth Color</b>	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626



W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

# VOCAL SERIES



Model	QH-L
Type	Piano Booth
Properties	<p><i>*Enhanced sound insulation</i> 1200w x 350d x 450h bench*1</p> <p><i>*Reminder: The furniture is optional, which needs to be purchased by yourself</i></p>
Details	<p>EXTERIOR: 2200w x 1500d x 2348.5h</p> <p>INTERIOR: 2070w x 1456d x 2128h</p> <p>PACKAGED (wooden frame) : 2300w x 900d x 1700h (wooden box) : 2300w x 880d x 1600h</p>
Booth Color	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638




G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

# VOCAL SERIES



Model	QH-2L
Type	Drum Booth
Properties	<p>*Enhanced sound insulation 350w x 350d x 750h small seat*1</p> <p>*Reminder: The furniture is optional, which needs to be purchased by yourself</p>
Details	<p>EXTERIOR: 2200w x 2100d x 2348.5h                  INTERIOR: 2070w x 2056d x 2128h                  PACKAGED (wooden frame) : 2300w x 1100d x 1450h                  (wooden box) : 2300w x 1250d x 1400h</p>
Booth Color	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626



W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638



# MOBILE SOUNDPROOF ROOM-MULTIMEDIA SERIES

Live · Recording · Radio Station · Monitoring Room





# MULTIMEDIA SERIES



<b>Model</b>	QH-M
<b>Type</b>	Live Booth
<b>Properties</b>	<p>*Enhanced sound insulation 1000w x 320d x 15h wall hanging table*1</p> <p>*Reminder: The furniture is optional, which needs to be purchased by yourself</p>
<b>Details</b>	<p>EXTERIOR: 1500w x 1250d x 2348.5h          INTERIOR: 1370w x 1206d x 2128h          PACKAGED (wooden frame) : 2300w x 850d x 1450h          (wooden box) : 2300w x 800d x 1500h</p>
<b>Booth Color</b>	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638




G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638



# MULTIMEDIA SERIES



<b>Model</b>	QH-L
<b>Type</b>	Radio Booth
<b>Properties</b>	<p>*Enhanced sound insulation                  Nordic style office chair*1</p> <p><i>*Reminder: The furniture is optional, which needs to be purchased by yourself</i></p>
<b>Details</b>	<p>EXTERIOR: 2200w x 1500d x 2348.5h                  INTERIOR: 2070w x 1456d x 2128h                  PACKAGED (wooden frame) : 2300w x 900d x 1700h                  (wooden box) : 2300w x 880d x 1600h</p>
<b>Booth Color</b>	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

# MULTIMEDIA SERIES



Model	QH-2L
Type	Monitoring Booth、Recording Studio Booth (two person)
Properties	<p>*1200w x 600d x 800h table*1 Chair*1</p> <p>*Enhanced sound insulation Chair*2</p> <p><b>*Reminder: the furniture is optional, which needs to be purchased by yourself</b></p>
Details	<p>EXTERIOR: 2200w x 2100d x 2348.5h INTERIOR: 2070w x 2056d x 2128h PACKAGED (wooden frame) : 2300w x 1100d x 1450h (wooden box) : 2300w x 1250d x 1400h</p>
Booth Color	W626、W638、G626、K638、K626、LB626、LB638、R626-2、R638-2、R626、R638、O626、O638 (Optional)



Sound insulation&absortion



Ventilation



Fireproof



Anti-bacteria



Zero emission

## COLOR MATCH


BOOTH  
GLASS  
SOUND-ABSORBING COTTON




W626




W638



G626



G638



K626



K638



LB626



LB638



R626-2



R638-2



R626



R638



O626



O638

---


# APPLICATION SCENE-LIVE





---

# APPLICATION SCENE-MACHINE ROOM



Network

---


---

# APPLICATION SCENE-MEETING



---

# APPLICATION SCENE-WORK







Karaoke Uk Ltd  
U5 Goyt Mill, Hibbert Lane  
Marple  
Stockport Cheshire SK6 7HX

CONTACT US  
sales@karaoke-uk.co.uk  
+44161-449-0441



**RoHS**

[www.karaoke-uk.co.uk](http://www.karaoke-uk.co.uk)